Technical Data Sheet



FV663

3 Room Heat Transfer

with Thermostat


Dimensions


Cut-out size for inlet fascia


155mm


Cut out size for outlet fascia

155mm



















Specifications

Weight 10.8kg Colour of front fascia White Housing material FR ABS

Approval

AS/NZS 603350.2.80:2004 Amdt 1"Electrical Fan"

Features

- Easy to install
- 15 metres of 150mm insulated ducting supplied
- Unique 'no fuss' all in one unit
- Digital Thermostat included
- Allows warmth to be moved around your
- Effective temperature control for your home
- All parts are included
- 3 year extended warranty
- 7 year motor warranty

Technical Data Sheet

Product Use

The FV663 is used for the transfer of heat

Typical applications:

- Bedrooms
- Lounges
- Living areas

Environmental Conditions

Operation to IEC 721-3-3
Climatic conditions class 3K5
Temperature 0...+50°C
Humidity <95% r.h.

Standards

Test standards AS/NZS 603350.2.80:

2004 Amdt 1

"Electrical Fan"

Test Report no 5772

EMC Compliance This is a Level One

product with an External rotor motor that has a very low risk of causing EMC

Interference

General

Free Air Fan Performance Installed decibel rating 460m³/hr 127.8sec

46DB

Ordering

When ordering please give name and type,

Reference FV663

Barcode 942000490268-0

Technical Data

Power Supply 230 VAC
Power consumption max. 0.6Amps
Supply Line fusing max. 10A
For solid wires 2 x 1.5mm²

Motor 230-240VAC 50Hz

0.6 Amp

Motor insulation class

Total motor wattage Motor protection

54Watts thermally protected